

ABSTRAK

Nama : Arnetha Octavia Laurent

Program Studi : S1 Farmasi

Judul : Evaluasi Rasionalitas Penggunaan Obat Diare Pada Balita Di Rumah
Sakit Umum Daerah Kota Depok Periode Januari-Desember 2021

Diare akut adalah diare yang terjadi dalam waktu kurang dari 14 hari. Menurut Kemenkes RI, diare mengakibatkan kematian tertinggi pada kelompok balita usia 12-59 bulan. Penyakit diare juga masih menjadi 10 penyakit terbanyak yang ditangani oleh Rumah Sakit di Jawa Barat. Penelitian ini bertujuan untuk melakukan evaluasi terhadap rasionalitas penggunaan obat diare akut pada pasien balita di Rumah Sakit Umum Daerah Kota Depok pada periode Januari-Desember 2021 berdasarkan kriteria tepat indikasi, tepat obat, tepat dosis, tepat cara pemberian, dan tepat lama pemberian. Metode penelitian ini adalah observasional deskriptif dengan pendekatan secara restrospektif. Teknik pengumpulan data dilakukan dengan menggunakan *total sampling* sebanyak 63 rekam medis yang terdiri dari diare non-spesifik dan diare spesifik. Hasil penelitian menunjukkan diare non spesifik (tepat indikasi 100,00%, tepat obat 87,50%, tepat dosis 93,75%, tepat cara pemberian 100,00%, tepat lama pemberian 93,75%). Pada diare spesifik (tepat indikasi 95,74%, tepat obat 78,72%, tepat dosis 97,87%, tepat cara pemberian 100,00%, tepat lama pemberian 89,36%).

Kata Kunci : Diare, Rasionalitas Pengobatan, Balita

ABSTRACT

Name : Arnetha Octavia Laurent
Study Program : Farmasi S1
Title : Evaluation of Rational Drug Use for Diarrhea Pediatric in
Depok City Regional Public Hospital in January-Desember
2021 Period

Acute diarrhea is diarrhea that occurs lasts less than 14 days. According to Kemenkes RI, diarrhea leads to the highest mortality causes in children under age 12-59 months. In Jawa Barat Hospitals, diarrhea is still the 10 biggest diseases ever treated. This research aims to evaluate the rationality of the use of acute diarrhea therapy in under the age of five years old at Depok City Regional Public Hospital for the period January-December 2021 based on the proper indication criteria, proper of drug, proper of dose, proper method of administration, and proper duration of treatment. The research method used in this study is descriptive observational conducted retrospectively. Collecting data was obtained with total sampling from 63 patients medical records consisting of non-specific diarrhea and specific diarrhea. The result based on non-specific diarrhea (proper indication criteria 100,00%, proper of drug 87,50%, proper of dose 93,75%, proper method of administration 100,00%, proper duration of treatment 93,75%). Meanwhile, on specific diarrhea (proper indication criteria 95,74%, proper of drug 78,72%, proper of dose 97,87%, proper method of administration 100,00%, proper duration of treatment 89,36%).

Keywords : Diarrhea, Rationality Treatment, Pediatric