

ABSTRAK

Nama : Mirna Permatasari
Program Studi : Farmasi
Judul : Kajian Penggunaan Obat Antipsikotik Pada Pasien Skizofrenia Rawat Jalan Di Puskesmas Kecamatan Kalideres Jakarta Barat Periode Januari-Desember 2021

Skizofrenia merupakan penyakit gangguan jiwa kronis yang ditandai dengan gejala utama yaitu halusinasi, gangguan pikiran dan perubahan perilaku, faktor-faktor yang berhubungan dengan skizofrenia antara lain karena faktor internal, faktor eksternal dan faktor psikososial. Tujuan dari penelitian ini adalah untuk mengetahui karakteristik umum dan klinis serta evaluasi penggunaan obat antipsikotik pada penderita skizofrenia di Puskesmas Kecamatan Kalideres Jakarta Barat Periode Jan-Des 2021. Penelitian ini dilakukan dengan rancangan penelitian *cross-sectional* dengan pengambilan data retrospektif yaitu rekam medik pasien pada periode Jan-Des 2021. Sampel yang digunakan pada penelitian ini sebanyak 110 pasien yang memenuhi kriteria inklusi. Hasil Penelitian karakteristik pasien berupa jenis kelamin pasien; Laki-laki adalah 60%, usia; 15-30 tahun sebesar 57,27%, derajat Pendidikan; Sekolah Menengah Pertama sebesar 58,18%, klasifikasi skizofrenia paranoid; sebesar 55,45%, Jenis obat; terapi utama yang paling banyak di resepkan yaitu obat kombinasi Risperidon dan Haloperidol yaitu sebesar 31% dan gejala yang sering terjadi adalah gejala positif pada penderita skizofrenia berupa halusinasi, waham/delusi yaitu sebesar 53,63%. Hasil Ketepatan Pasien diperoleh 100%, Tepat Pasien 100%, Ketepatan Jenis Obat sebesar 95%, Ketepatan Dosis sebesar 100%, dan Ketepatan Waktu Pemberian sebesar 100%.

Kata Kunci :
Antipsikotik, Penggunaan Obat, Skizofrenia

ABSTRACT

Name : Mirna Permatasari
Study Program : Pharmacy
Tittle : Study of the Use of Antipsychotic Drugs in Patients
Outpatient Schizophrenia at the District Health Center West
Jakarta Kalideres For The January-December 2021 Period

Schizophrenia is a chronic mental disorder characterized by main symptoms, namely hallucinations, thought disturbances and behavioral changes, factors related to schizophrenia include internal factors, external factors and psychosocial factors. The purpose of this study was to determine the general and clinical characteristics as well as evaluate the use of antipsychotic drugs in schizophrenic patients at the Kalideres District Health Center, West Jakarta for the Jan-Dec 2021 period. This research was conducted using a cross-sectional study design with retrospective data collection, namely patient medical records in the January-December 2021 period. The sample used in this study was 110 patients who met the inclusion criteria. Results of the study patient characteristics in the form of the patient's gender; Male is 60%, age; 15-30 years of 57.27%, education degree; Junior High School at 58.18%, classification of paranoid schizophrenia; of 55.45%, type of drug; The main therapy that was most often prescribed was the combination drug Risperidone and Haloperidol, which was 31% and the symptoms that often occurred were positive symptoms in schizophrenic patients in the form of hallucinations, delusions/delusions, which were 53.63%. The results obtained were 100% patient accuracy, 100% patient accuracy, 95% drug type accuracy, 100% dosage accuracy, and 100% timeliness of administration.

Keywords :
Antipsychotics, Drug Use, Schizophrenia.