

## **ABSTRAK**

Nama : Rizki Nugraha  
Program Studi : Farmasi  
Judul : Pola Peresepan dan Kerasionalan Penggunaan Antibiotik  
Pada Infeksi Diare Akut Pada Balita di Puskesmas  
Kecamatan Kebayoran Lama Jakarta Selatan Periode  
Januari – Juni2018

Penggunaan antibiotik yang rasional harus memenuhi beberapa kriteria, yaitu tepat indikasi, tepat obat, tepat dosis, tepat frekuensi pemberian dan tepat lama pemberian. Penelitian ini bertujuan untuk mengetahui pola peresepan dan kerasionalan penggunaan antibiotik pada pengobatan diare akut pada balita di Puskesmas Kecamatan Kebayoran Lama Jakarta Selatan periode Januari-Juni 2018. Penelitian ini merupakan penelitian deskriptif dengan pengambilan data secara *retrospektif* yang didasarkan pada data rekam medis dengan jumlah sampel 240 pasien. Hasil penelitian menunjukan evaluasi penggunaan antibiotik yang rasional berdasarkan kriteria tepat indikasi 100%, tepat obat 100%, tepat dosis 85,42%, tepat frekuensi pemberian obat 97,5% dan tepat lama pemberian obat 93,33%.

Kata Kunci : Rasional, antibiotik, diare

## **ABSTRACT**

Name : RizkiNugraha  
Study Program : Pharmacy  
Title : Prescribing patterns and rationality of the use of antibiotics in the acute diarrhea in toddlers in PuskesmasKecamatan Kebayoran Lama Jakarta Selatan period January-June 2018

Rational use of antibiotics have to comply several criteria like the appropriate indication, appropriate drug, appropriate dose, appropriate frequency, and appropriate duration. This study was aimed to prescribing patterns and rationality of the use of antibiotics in the acute diarrhea in toddlers in PuskesmasKecamatan Kebayoran Lama Jakarta Selatan period January-June 2018. This research is a descriptive study with retrospective data aggregation based on medical records with a sample of 240 patients. The result showed, that evaluation of rational use of antibiotics to the appropriate indication as much as 100%, appropriate drug as much as 100%, appropriate dose as much as 85,42%, appropriate frequency as much as 97,5%, and appropriate duration as much as 93,33%.

Keywords: Rational, antibiotics, diarrhea